

ΔΗΜΟΣΙΕΥΣΕΙΣ

- 1) Chalepakis, G., Tanay, I. and Heidemann, E. (1985). Wie spezifisch ist der Kollagenabbau bei der Gelatineherstellung? **Das Leder** 36, 2-10.
- 2) Beato, M., Arnemann, J., Chalepakis, G., Slater, E. and Willmann, T. (1987). Gene regulation by steroid hormones. **J. Steroid Biochem.** 27, 9-14.
- 3) Chalepakis, G., Arnemann, J., Slater, E., Bruller, H.-J., Gross, B. and Beato, M. (1988). Differential gene activation by glucocorticoids and progestins through the hormone regulatory element of mouse mammary tumor virus. **Cell** 53, 371- 382.
- 4) Chalepakis, G., Postma, J.P.M. and Beato, M. (1988). A model for hormone receptor binding to the mouse mammary tumor virus regulatory element based on hydroxyl radical footprinting. **Nucl. Acids Res.** 16, 10237-10247.
- 5) Chalepakis, G. and Beato, M. (1989). Hydroxyl radical interference: a new method for the study of protein-DNA interactions. **Nucl. Acids Res.** 17, 1783.
- 6) Schauer, M., Chalepakis, G., Willmann, T. and Beato, M. (1989). Binding of hormone accelerates the kinetics of glucocorticoid and progesterone receptor binding to DNA. **Proc. Natl. Acad. Sci. USA** 86, 1123-1127.
- 7) Slater, M.P., Posseckert, G., Chalepakis, G., Redeuahl, G. and Beato, M. (1989). Binding of steroid hormone receptors to the HREs of mouse mammary tumor virus, chicken and xenopus vitellogenin and rabbit uteroglobin genes: correlation with induction. **J. Steroid Biochem.** 34, 11-16.
- 8) Chalepakis, G., Schauer, M., Cao, X.A. and Beato, M. (1989). Efficient binding of the glucocorticoid receptor to its responsive element requires two monomers and DNA flanking sequences. **DNA Cell. Biol.** 9, 355-368.
- 9) Truss, M., Chalepakis, G. and Beato, M. (1989). Contacts between steroid hormone receptors and thymines in DNA: An interference method. **Proc. Natl. Acad. Sci. USA** 87, 7180-7184.
- 10) Beato, M., Chalepakis, G., Schauer, M. and Slater, E. (1989). DNA regulatory elements for steroid hormones. **J. Steroid Biochem.** 32, 737-748.
- 11) Pina, B., Hache, R.J.G., Arnemann, J., Chalepakis, G., Slater, E.P. and Beato, M. (1990). Hormonal induction of transfected genes depends on DNA topology. **Mol. Cell. Biol.** 10, 625-633.

- 12) Goulding, M.D., Chalepakis, G., Deutsch, U., Erselius, J.R. and Gruss, P. (1991). Pax-3, a novel murine DNA binding protein expressed during early neurogenesis. **EMBO J.** 10, 1135-1147.
- 13) Truss, M.* , Chalepakis, G.* , Slater, E.P., Mader, S. and Beato, M. (1991). Functional interaction of hybrid response elements with wild-type and mutant steroid hormone receptors. **Mol. Cell. Biol.** 11, 3247-3258.
* οι δύο συγγραφείς έχουν συνεισφέρει ισάξια (equal first authors)
- 14) Chalepakis, G., Fritsch, R., Deutsch, U., Fickenscher, H., Goulding, M. and Gruss, P. (1991). The molecular basis of the undulated / Pax-1 muattion. **Cell** 66, 873-884.
- 15) Jones, F.S., Chalepakis, G., Gruss, P. and Edelman G.M. (1992). Activation of the cytотactин promoter by the homeobox-containing gene Evx-1. **Proc. Natl. Acad. Sci. USA** 89, 2091-2095.
- 16) Truss, M., Bartsch, J., Chalepakis, G. and Beato, M. (1992). Artificial steroid hormone response element generated by dam-methylation. **Nucl. Acids Res.** 20, 1483-1486.
- 17) Truss, M., Chalepakis, G., Pina, B., Barettino, D., Bruggemeier, U., Kalff, M., Slater, E.P. and Beato, M. Transcriptional control by steroid hormones. Review (1992). **J. Steroid Biochem. Mol. Biol.** 41, 241-248.
- 18) Chalepakis, G., Tremblay, P. and Gruss, P. (1992). Pax genes, mutants and molecular function. **J. Cell Sci.** 16 (Suppl.), 61-76.
- 19) Truss, M., Chalepakis, G. and Beato, M. (1992). Interplay of steroid hormone receptors and transcription factors on the mouse mammary tumor virus promoter. **J. Steroid Biochem. Mol. Biol.** 43, 365-378.
- 20) Fickenscher, H.R., Chalepakis, G. and Gruss, P. (1993). Murine Pax-2 protein is a sequence-specific trans-activator with expression in the genital system. **DNA Cell. Biol.** 12, 381-391.
- 21) Chalepakis, G., Stoykova, A., Wijnholds, J., Tremblay, P. and Gruss, P. (1993). Pax: gene regulators in the developing nervous system. **J. Neurobiol.** 24, 1367-1384.
- 22) Chalepakis, G., Goulding, M., Read, A., Strachan, T. and Gruss, P. (1994). The molecular basis of splotch and Waardenburg Pax-3 mutations. **Proc. Natl. Acad. Sci. USA** 91, 3685-3689.
- 23) Chalepakis, G., Wijnholds, J., Giese, P., Schachner, M. and Gruss, P. (1994). Characterization of Pax-6 and Hoxa-1 binding to the promoter region of the neural cell adhesion molecule L1. **DNA Cell. Biol.** 13, 891-900.

- 24) Chalepakis, G., Wijnholds, J. and Gruss, P. (1994). Pax-3 - DNA interaction: flexibility in the DNA binding and induction of DNA conformational changes by paired domains. **Nucl. Acids Res.** 22, 3131-3137.
- 25) Chalepakis, G., Jones, F.S., Edelman, G.M. and Gruss, P. (1994). Pax-3 contains domains for transcription activation and transcription inhibition. **Proc. Natl. Acad. Sci. USA** 91, 12745-12749.
- 26) Chalepakis, G. and Gruss, P (1995). Identification of DNA recognition sequences for the Pax3 paired domain. **Gene** 162, 267-270.
- 27) Song, D-Li, Chalepakis, G., Gruss, P. and Joyner, A.L. (1996). Two Pax-binding sites are required for early embryonic brain expression of an Engrailed-2 transgene. **Development** 122, 627-635.
- 28) Papoutsopoulou, S., Nikolakaki, E., Chalepakis, G., Kruft, V., Chevaillier, P. and Giannakouros, T. (1999). SR protein-specific kinase 1 is highly expressed in testis and phosphorylates protamine 1. **Nucl. Acids Res.** 27, 2972-2980.
- 29) Vrontou, S., Petrou, P., Meyer, B.I., Galanopoulos, V.K., Imai, K., Yanagi, M., Chowdhury, K., Scambler, P.J. and Chalepakis, G. (2003). Fras1 deficiency results in cryptophthalmos, renal agenesis and bleb phenotype in mice. **Nat. Genet.** 34, 209-214.
- 30) McGregor, L., Makela, V., Darling, S.M., Vrontou, S., Chalepakis, G., Roberts, C., Smart, N., Rutland, P., Prescott, N., Hopkins, J., Bentley, E., Shaw, A., Roberts, E., Mueller, R., Jadeja, S., Philip, N., Nelson, J., Francannet, C., Perez-Aytes, A., Megarbane, A., Kerr, B., Wainwright, B., Woolf, A.S., Winter, R.M. and Scambler, P.J. (2003). Fraser syndrome and mouse blebbed phenotype caused by mutations in FRAS1/Fras1 encoding a putative extracellular matrix protein. **Nat. Genet.** 34, 203-208.
- 31) Takamiya, K., Kostourou, V., Adams, S., Jadeja, S., Chalepakis, G., Scambler, P.J., Huganir, R.L. and Adams, R.H. (2004). A direct functional link between the multi-PDZ domain protein GRIP1 and the Fraser syndrome protein Fras1. **Nat. Genet.** 36, 172-177.
- 32) Petrou, P., Pavlakis, E., Dalezios, Y., Galanopoulos, V.K. and Chalepakis, G. (2005). Basement membrane distortions impair lung lobation and capillary organization in the mouse model for Fraser syndrome. **J. Biol. Chem.** 280, 10350-10356.
- 33) Jadeja, S., Smyth, I., Pitera, J.E., Taylor, M.S., van Haelst, M., Bentley, E., McGregor, L., Hopkins, J., Chalepakis, G., Philip, N., Perez Aytes, A., Watt, F.M., Darling, S.M., Jackson, I., Woolf, A.S. and Scambler, P.J. (2005). Identification of a new gene mutated in Fraser syndrome and mouse myelencephalic blebs. **Nat. Genet.** 37, 520-525.
- 34) Chiotaki, R., Petrou, P., Giakoumaki, E., Pavlakis, E., Sitaru, C. and Chalepakis, G. (2007). Spatiotemporal distribution of Fras1/Frem proteins during mouse embryonic development. **Gene Expression Patterns** 7, 381-388.

- 35) Petrou, P., Chiotaki, R., Dalezios, Y. and Chalepakis, G. (2007). Overlapping and divergent localization of Frem1 and Fras1 and its functional implications during mouse embryonic development. **Exp. Cell Res.** 313, 910-920.
- 36) Petrou, P., Pavlakis, E., Dalezios, Y. and Chalepakis, G. (2007). Basement membrane localization of Frem3 is independent of the Fras1/Frem1/Frem2 protein complex within the sublamina densa. **Matrix Biol.** 26, 652-658.
- 37) Dalezios, Y., Papasozomenos, B., Petrou, P. and Chalepakis G. (2007). Ultrastructural localization of Fras1 in the sublamina densa of embryonic epithelial basement membranes. **Arch. Dermatol. Res.** 299, 337-343.
- 38) Pavlakis, E. and Chalepakis, G. (2008). pH-dependent antigen unmasking in paraformaldehyde-fixed tissue cryosections. **Appl. Immunohistochem. Mol. Morphol.** 16, 503-506.
- 39) Petrou, P., Makrygiannis, A. and Chalepakis, G. (2008). The Fras1/Frem family of extracellular matrix proteins: Structure, function and association with Fraser syndrome and the mouse bleb phenotype. **Connect. Tissue Res.** 49, 277-282.
- 40) Pavlakis, E., Makrygiannis, A., Chiotaki, R. and Chalepakis, G. (2008). Differential localization profile of Fras1/Frem proteins in epithelial basement membranes of newborn and adult mice. **Histochem. Cell. Biol.** 130, 785-793.
- 41) Pavlakis, E., Chiotaki, R. and Chalepakis, G. (2011). The role of Fras1/Frem proteins in the structure and function of basement membrane. **Int. J. Biochem. Cell Biol.** 43, 487-495.

ΚΕΦΑΛΑΙΑ ΣΕ ΒΙΒΛΙΑ

Arnemann, J., Bruggemeier, U., Carballo, M., Chalepakis, G., Gross, B., Espel, E., Mugele, K., Pina, B., Posseckert, G., Slater, E., Willmann, T. and Beato, M. (1988). Differential gene regulation by steroid hormones. In “Steroid Hormone Action” (ed G. Ringold) Alan R. Liss Inc., 185-192.

Beato, M., Bruggemeier, U., Chalepakis, G., Schauer, M., Slater, E. and Willmann, T. (1988). Differential interaction of the receptors for glucocorticoids and progestins with the hormone regulatory element of MMTV. In “Nucl. Acids and Molecular Biology” (ed F. Eckstein & D. M. J. Liley) Springer-Verlag Vol. 2, 206-219.

Beato, M., Bruggemeier, U., Chalepakis, G., Gross, B., Pina, B., Schauer, M., Slater, E.P. and Truss, M. (1989). Interaction of steroid hormone receptors with DNA. in "Molecular Mechanisms of Hormone Action" (ed U. Gehring, E. Helmmreich & G. Schultz) Springer Verlag, 12-20.

Chalepakis, G., Schauer, M., Slater, E.P. and Beato, M. (1990). Gene regulation by steroid hormones. In "Activation of hormone and growth factor receptors" (ed M. N. Alexis & C. E. Sekeris) Kluwer Acad Publ, 151-172.

Slater, E.P., Truss, M., Chalepakis, G. and Beato, M. (1990). A comparison of the binding sites for estrogen and progesterone receptors. In "Hormones and Cell Regulation" (Ed. J. E. Dumont, J. Nunez, & R. J. B. King) John Libbey Eurotext Ltd. 210, 103-113.

Beato, M., Bazzettino, D., Bruggemeier, U., Chalepakis, G., Hache, R.J.G., Kalff, M., Pina, B., Slater, E.P. and Truss, M. (1991). Regulation of transcription by glucocorticoids. In "The Hormonal Control of Gene Expression" (ed. P. Cohen & J. G. Foulkes) Elsevier, 117-128.

Beato, M., Bazzettino, D., Bruggemeier, U., Chalepakis, G., Hache, R.J.G., Kalff, M., Pina, B., Schauer, M., Slater, E.P. and Truss, M. (1991). Characterization of DNA receptor interactions. In "Nuclear hormone receptors" (ed. M. Parker) Academic Press, 197-216.

Beato, M., Bazzettino, D., Bruggemeier, U., Chalepakis, G., Kalff, M., Pina, B. and Truss, M. (1991). Transcriptional regulation by steroid hormones. In "The Therapeutic Implications of the Molecular Biology of Breast Cancer" (ed E. Mihich) John Libbey CIC., 95-105.

Chalepakis, G. and Gruss, P. (1995). The Pax family of transcription factors in embryonic development. In "Organization of the early vertebrate embryo" (ed N. Zagris), Plenum Press, New York, 263-273.